



Product Introduction:

Active Ingredient	Content & Formulation
Cymoxanil 14% + Propamocarb 14%	28%WP

Product Introduction:

This product is a compound of urea-based fungicide Cymoxanil and carbamate pesticide Propamocarb. Cymoxanil is a fungicide with a local systemic action, and its mechanism of action is to inhibit spore germination. It is effective against phytophthora, monopodium phytophthora and downy mildew. Propamocarb can inhibit the biosynthesis of germ cell membranes, inhibit the growth of hyphae, the formation and germination of sporangia, with systemic and conductive effects. This formulation has a dual characteristics of the two ingredients and enhanced efficacy, and can delay the generation and development of drug resistance.




Advantage:

1. This formulation has excellent bactericidal and synergistic effects, with disease prevention effect significantly increased by 10% -40%. It can reduce the cost of application and delay the development of drug resistance.
2. It has a wide bactericidal spectrum and has special effects on oomycete fungi. It can effectively control potato late blight.
3. Low toxicity, high efficiency and safety to crops; high content, low dosage, and easy to use.

Applicable Crops:


Potato, pepper, tomato, etc.



Potato



Pepper



Pepper



Pepper




Tomato

Targets:


It has a good efficacy on the prevention and treatment of late blight of many vegetables.



Tomato late blight



Tomato late blight



Chili anthracnose



Chili anthracnose



Potato late blight

Uses and Recommendations:

Crops	Targets	Dosage	Application method
Potato	Late blight	2250-2700 g/ha	Spray

1. For the prevention and treatment of potato late blight, spray evenly before or after the onset of the late blight.
2. Depending on the severity of the disease, apply 2-3 times in succession at intervals of 7 days so as to effectively control the disease.

Cautions:

1. This product cannot be used mixed with strong acid and strong alkali agents.
2. Wear a mask and gloves when preparing the formulation. Do not spill the liquid on the eyes and skin. Wash hands, face and other exposed parts with soap immediately after application.
3. This product is moderately toxic to fish and silkworm and moderately risky to trichogramma. It is prohibited to be used near aquaculture areas, and other water areas such as river ponds.